
LABORATORY REPORT

June 21, 2011

Randolph Homburg
Aquaterra Environmental Solutions, Inc.
13 Executive Dr., Suite 1
Fairview Heights, IL 62208

RE: Cottonwood Hills RDF Flare Sampling / 2011 Cottonwood Hills Gas Testing

Dear Randolph:

Enclosed are the results of the samples submitted to our laboratory on June 8, 2011. For your reference, these analyses have been assigned our service request number P1102140.

All analyses were performed according to our laboratory's NELAP and DoD-ELAP-approved quality assurance program. The test results meet requirements of the current NELAP and DoD-ELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP and DoD-ELAP-accredited analytes, refer to the certifications section at www.caslab.com. Results are intended to be considered in their entirety and apply only to the samples analyzed and reported herein.

Columbia Analytical Services, Inc. is certified by the California Department of Health Services, NELAP Laboratory Certificate No. 02115CA; Arizona Department of Health Services, Certificate No. AZ0694; Florida Department of Health, NELAP Certification E871020; New Jersey Department of Environmental Protection, NELAP Laboratory Certification ID #CA009; New York State Department of Health, NELAP NY Lab ID No: 11221; Oregon Environmental Laboratory Accreditation Program, NELAP ID: CA20007; The American Industrial Hygiene Association, Laboratory #101661; United States Department of Defense Environmental Laboratory Accreditation Program (DoD-ELAP), Certificate No. L10-3-R1; Pennsylvania Registration No. 68-03307; TX Commission of Environmental Quality, NELAP ID T104704413-10-1; Minnesota Department of Health, NELAP Certificate No. 219474; Washington State Department of Ecology, ELAP Lab ID: C946. Each of the certifications listed above have an explicit Scope of Accreditation that applies to specific matrices/methods/analytes; therefore, please contact me for information corresponding to a particular certification.

If you have any questions, please call me at (805) 526-7161.

Respectfully submitted,

Columbia Analytical Services, Inc.

Sue Anderson
Project Manager

Client: Aquaterra Environmental Solutions, Inc. CAS Project No: P1102140
Project: Cottonwood Hills RDF Flare Sampling / 2011 Cottonwood Hills Gas Testing

CASE NARRATIVE

The samples were received intact under chain of custody on June 8, 2011 and were stored in accordance with the analytical method requirements. Please refer to the sample acceptance check form for additional information. The results reported herein are applicable only to the condition of the samples at the time of sample receipt.

Sulfur Analysis

The samples were analyzed for twenty sulfur compounds per ASTM D 5504-08 using a gas chromatograph equipped with a sulfur chemiluminescence detector (SCD). All compounds with the exception of hydrogen sulfide and carbonyl sulfide are quantitated against the initial calibration curve for methyl mercaptan.

The results of analyses are given in the attached laboratory report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for utilization of less than the complete report.

Use of Columbia Analytical Services, Inc. (CAS) Name. Client shall not use CAS's name or trademark in any marketing or reporting materials, press releases or in any other manner ("Materials") whatsoever and shall not attribute to CAS any test result, tolerance or specification derived from CAS's data ("Attribution") without CAS's prior written consent, which may be withheld by CAS for any reason in its sole discretion. To request CAS's consent, Client shall provide copies of the proposed Materials or Attribution and describe in writing Client's proposed use of such Materials or Attribution. If CAS has not provided written approval of the Materials or Attribution within ten (10) days of receipt from Client, Client's request to use CAS's name or trademark in any Materials or Attribution shall be deemed denied. CAS may, in its discretion, reasonably charge Client for its time in reviewing Materials or Attribution requests. Client acknowledges and agrees that the unauthorized use of CAS's name or trademark may cause CAS to incur irreparable harm for which the recovery of money damages will be inadequate. Accordingly, Client acknowledges and agrees that a violation shall justify preliminary injunctive relief. For questions contact the laboratory.

DETAIL SUMMARY REPORT

Client: Aquaterra Environmental Solutions, Inc.
Project ID: Cottonwood Hills RDF Flare Sampling / 2011 Cottonwood Hills Gas Testing

Service Request: P1102140

Date Received: 6/8/2011
Time Received: 09:40

ASTM D5504-01 - Sulfur Bag

Client Sample ID	Lab Code	Matrix	Date Collected	Time Collected	
CW-1	P1102140-001	Air	6/7/2011	14:22	X
CW-2	P1102140-002	Air	6/7/2011	14:24	X
CW-3	P1102140-003	Air	6/7/2011	14:26	X

Requested Turnaround Time in Business Days (Surcharges) please circle

1 Day (100%) 2 Day (75%) 3 Day (50%) 4 Day (35%) 5 Day (25%) 10 Day-Standard

CAS Project No.

91102140

CAS Contact:

Analysis Method

ASTM D5504
total sulfur compound

Comments
e.g. Actual
Preservative or
specific instructions

Company Name & Address (Reporting Information)

Aqua Terra Environmental
13 Executive Dr. Suite 1
Fairview Heights, IL 62208

Project Name

Cottonwood Hills RDF Flare Sampling

Project Number

2011 Cottonwood Hills GAS Testing

P.O. # / Billing Information

Project Manager

Randolph Homburg

Phone

618 628 2001

Fax

618 628 2002

Email Address for Result Reporting

Rhombury@aquaterra-env.com

Sampler (Print & Sign)

Bob Hill / Collin Carson

Client Sample ID

Laboratory
ID Number

Date
Collected

Time
Collected

Canister ID
(Bar code # -
AC, SC, etc.)

Flow Controller ID
(Bar code # -
FC #)

Canister
Start Pressure
"Hg

Canister
End Pressure
"Hg/psig

Sample
Volume

CW-1

①

6/7/11

1422

90675-41296

-

-

-

.5L

CW-2

②

6/7/11

1424

90675-41301

-

-

-

.5L

CW-3

③

6/7/11

1426

90675-41299

-

-

-

.5L

Report Tier Levels - please select

Tier I - Results (Default if not specified) _____

Tier III (Results + QC & Calibration Summaries) _____

EDD required Yes / No

Tier II (Results + QC Summaries) _____

Tier IV (Data Validation Package) 10% Surcharge _____

Type: _____

Project Requirements
(MRLs, QAPP)

Relinquished by: (Signature)

[Signature]

Date:

6/7/11

Time:

Received by: (Signature)

[Signature]

Date:

6/8/11

Time:

0940

Relinquished by: (Signature)

Date:

Time:

Received by: (Signature)

Date:

Time:

Cooler / Blank
Temperature _____ °C

4 of 10

WM00906

Sample Acceptance Check Form

Client: Aquaterra Environmental Solutions, Inc. Work order: P1102140
 Project: Cottonwood Hills RDF Flare Sampling / 2011 Cottonwood Hills Gas Testing
 Sample(s) received on: 6/8/11 Date opened: 6/8/11 by: MZAMORA

Note: This form is used for all samples received by CAS. The use of this form for custody seals is strictly meant to indicate presence/absence and not as an indication of compliance or nonconformity. Thermal preservation and pH will only be evaluated either at the request of the client and/or as required by the method/SOP.

		Yes	No	N/A
1	Were sample containers properly marked with client sample ID?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	Container(s) supplied by CAS ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	Did sample containers arrive in good condition?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	Were chain-of-custody papers used and filled out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	Did sample container labels and/or tags agree with custody papers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	Was sample volume received adequate for analysis?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Are samples within specified holding times?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	Was proper temperature (thermal preservation) of cooler at receipt adhered to?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Cooler Temperature _____ °C Blank Temperature _____ °C			
9	Was a trip blank received?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
10	Were custody seals on outside of cooler/Box?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Location of seal(s)? _____ Sealing Lid?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Were signature and date included?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Were seals intact?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Were custody seals on outside of sample container?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Location of seal(s)? _____ Sealing Lid?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Were signature and date included?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Were seals intact?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
11	Do containers have appropriate preservation , according to method/SOP or Client specified information?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Is there a client indication that the submitted samples are pH preserved?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Were VOA vials checked for presence/absence of air bubbles?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Does the client/method/SOP require that the analyst check the sample pH and <u>if necessary</u> alter it?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12	Tubes: Are the tubes capped and intact?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Do they contain moisture?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
13	Badges: Are the badges properly capped and intact?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Are dual bed badges separated and individually capped and intact?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Lab Sample ID	Container Description	Required pH *	Received pH	Adjusted pH	VOA Headspace (Presence/Absence)	Receipt / Preservation Comments
P1102140-001.01	1 L Zefon Bag					
P1102140-002.01	1 L Zefon Bag					
P1102140-003.01	1 L Zefon Bag					

Explain any discrepancies: (include lab sample ID numbers): _____

RESULTS OF ANALYSIS

Page 1 of 1

Client: Aquaterra Environmental Solutions, Inc. CAS Project ID: P1102140
Client Sample ID: CW-1 CAS Sample ID: P1102140-001
Client Project ID: Cottonwood Hills RDF Flare Sampling / 2011 Cottonwood Hills Gas Testing

Test Code: ASTM D 5504-08 Date Collected: 6/7/11
Instrument ID: Agilent 7890A/GC22/SCD Time Collected: 14:22
Analyst: Wade Henton/Lauryn Keeler Date Received: 6/8/11
Sampling Media: 1 L Zefon Bag Date Analyzed: 6/8/11
Test Notes: Time Analyzed: 11:08
Volume(s) Analyzed: 0.50 ml(s)

CAS #	Compound	Result µg/m ³	MRL µg/m ³	Result ppbV	MRL ppbV	Data Qualifier
7783-06-4	Hydrogen Sulfide	39,000	14	28,000	10	
463-58-1	Carbonyl Sulfide	240	25	97	10	
74-93-1	Methyl Mercaptan	11,000	20	5,700	10	
75-08-1	Ethyl Mercaptan	350	25	140	10	
75-18-3	Dimethyl Sulfide	32,000	25	13,000	10	
75-15-0	Carbon Disulfide	170	16	53	5.0	
75-33-2	Isopropyl Mercaptan	1,200	31	380	10	
75-66-1	tert-Butyl Mercaptan	2,400	37	650	10	
107-03-9	n-Propyl Mercaptan	170	31	54	10	
624-89-5	Ethyl Methyl Sulfide	340	31	110	10	
110-02-1	Thiophene	1,500	34	430	10	
513-44-0	Isobutyl Mercaptan	450	37	120	10	W
352-93-2	Diethyl Sulfide	67	37	18	10	
109-79-5	n-Butyl Mercaptan	230	37	63	10	
624-92-0	Dimethyl Disulfide	51	19	13	5.0	
616-44-4	3-Methylthiophene	400	40	98	10	
110-01-0	Tetrahydrothiophene	69	36	19	10	
638-02-8	2,5-Dimethylthiophene	ND	46	ND	10	
872-55-9	2-Ethylthiophene	48	46	10	10	
110-81-6	Diethyl Disulfide	ND	25	ND	5.0	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

W = Result quantified, but the corresponding peak was detected outside of generated retention time window.

RESULTS OF ANALYSIS

Page 1 of 1

Client: Aquaterra Environmental Solutions, Inc. CAS Project ID: P1102140
Client Sample ID: CW-2 CAS Sample ID: P1102140-002
Client Project ID: Cottonwood Hills RDF Flare Sampling / 2011 Cottonwood Hills Gas Testing

Test Code: ASTM D 5504-08 Date Collected: 6/7/11
Instrument ID: Agilent 7890A/GC22/SCD Time Collected: 14:24
Analyst: Wade Henton/Lauryn Keeler Date Received: 6/8/11
Sampling Media: 1 L Zefon Bag Date Analyzed: 6/8/11
Test Notes: Time Analyzed: 11:43
Volume(s) Analyzed: 0.50 ml(s)

CAS #	Compound	Result µg/m ³	MRL µg/m ³	Result ppbV	MRL ppbV	Data Qualifier
7783-06-4	Hydrogen Sulfide	42,000	14	30,000	10	
463-58-1	Carbonyl Sulfide	250	25	100	10	
74-93-1	Methyl Mercaptan	12,000	20	5,900	10	
75-08-1	Ethyl Mercaptan	370	25	150	10	
75-18-3	Dimethyl Sulfide	34,000	25	13,000	10	
75-15-0	Carbon Disulfide	180	16	58	5.0	
75-33-2	Isopropyl Mercaptan	1,300	31	400	10	
75-66-1	tert-Butyl Mercaptan	2,400	37	660	10	
107-03-9	n-Propyl Mercaptan	180	31	57	10	
624-89-5	Ethyl Methyl Sulfide	360	31	120	10	
110-02-1	Thiophene	1,500	34	450	10	
513-44-0	Isobutyl Mercaptan	440	37	120	10	W
352-93-2	Diethyl Sulfide	74	37	20	10	
109-79-5	n-Butyl Mercaptan	240	37	64	10	
624-92-0	Dimethyl Disulfide	44	19	12	5.0	
616-44-4	3-Methylthiophene	410	40	100	10	
110-01-0	Tetrahydrothiophene	69	36	19	10	
638-02-8	2,5-Dimethylthiophene	ND	46	ND	10	
872-55-9	2-Ethylthiophene	50	46	11	10	
110-81-6	Diethyl Disulfide	ND	25	ND	5.0	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

W = Result quantified, but the corresponding peak was detected outside of generated retention time window.

RESULTS OF ANALYSIS

Page 1 of 1

Client: Aquaterra Environmental Solutions, Inc. CAS Project ID: P1102140
Client Sample ID: CW-3 CAS Sample ID: P1102140-003
Client Project ID: Cottonwood Hills RDF Flare Sampling / 2011 Cottonwood Hills Gas Testing

Test Code: ASTM D 5504-08 Date Collected: 6/7/11
Instrument ID: Agilent 7890A/GC22/SCD Time Collected: 14:26
Analyst: Wade Henton/Lauryn Keeler Date Received: 6/8/11
Sampling Media: 1 L Zefon Bag Date Analyzed: 6/8/11
Test Notes: Time Analyzed: 12:26
Volume(s) Analyzed: 0.50 ml(s)

CAS #	Compound	Result µg/m ³	MRL µg/m ³	Result ppbV	MRL ppbV	Data Qualifier
7783-06-4	Hydrogen Sulfide	36,000	14	26,000	10	
463-58-1	Carbonyl Sulfide	210	25	85	10	
74-93-1	Methyl Mercaptan	10,000	20	5,100	10	
75-08-1	Ethyl Mercaptan	300	25	120	10	
75-18-3	Dimethyl Sulfide	29,000	25	11,000	10	
75-15-0	Carbon Disulfide	140	16	46	5.0	
75-33-2	Isopropyl Mercaptan	1,100	31	340	10	
75-66-1	tert-Butyl Mercaptan	2,000	37	550	10	
107-03-9	n-Propyl Mercaptan	130	31	43	10	
624-89-5	Ethyl Methyl Sulfide	300	31	96	10	
110-02-1	Thiophene	1,300	34	380	10	
513-44-0	Isobutyl Mercaptan	370	37	100	10	W
352-93-2	Diethyl Sulfide	51	37	14	10	
109-79-5	n-Butyl Mercaptan	180	37	48	10	
624-92-0	Dimethyl Disulfide	38	19	10	5.0	
616-44-4	3-Methylthiophene	350	40	87	10	
110-01-0	Tetrahydrothiophene	58	36	16	10	
638-02-8	2,5-Dimethylthiophene	ND	46	ND	10	
872-55-9	2-Ethylthiophene	ND	46	ND	10	
110-81-6	Diethyl Disulfide	ND	25	ND	5.0	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

W = Result quantified, but the corresponding peak was detected outside of generated retention time window.

RESULTS OF ANALYSIS

Page 1 of 1

Client: Aquaterra Environmental Solutions, Inc. CAS Project ID: P1102140
Client Sample ID: Method Blank CAS Sample ID: P110608-MB
Client Project ID: Cottonwood Hills RDF Flare Sampling / 2011 Cottonwood Hills Gas Testing

Test Code: ASTM D 5504-08 **Date Collected:** NA
Instrument ID: Agilent 7890A/GC22/SCD **Time Collected:** NA
Analyst: Wade Henton/Laurn Keeler **Date Received:** NA
Sampling Media: 1 L Zefon Bag **Date Analyzed:** 6/08/11
Test Notes: **Time Analyzed:** 09:22
Volume(s) Analyzed: 1.0 ml(s)

CAS #	Compound	Result $\mu\text{g}/\text{m}^3$	MRL $\mu\text{g}/\text{m}^3$	Result ppbV	MRL ppbV	Data Qualifier
7783-06-4	Hydrogen Sulfide	ND	7.0	ND	5.0	
463-58-1	Carbonyl Sulfide	ND	12	ND	5.0	
74-93-1	Methyl Mercaptan	ND	9.8	ND	5.0	
75-08-1	Ethyl Mercaptan	ND	13	ND	5.0	
75-18-3	Dimethyl Sulfide	ND	13	ND	5.0	
75-15-0	Carbon Disulfide	ND	7.8	ND	2.5	
75-33-2	Isopropyl Mercaptan	ND	16	ND	5.0	
75-66-1	tert-Butyl Mercaptan	ND	18	ND	5.0	
107-03-9	n-Propyl Mercaptan	ND	16	ND	5.0	
624-89-5	Ethyl Methyl Sulfide	ND	16	ND	5.0	
110-02-1	Thiophene	ND	17	ND	5.0	
513-44-0	Isobutyl Mercaptan	ND	18	ND	5.0	
352-93-2	Diethyl Sulfide	ND	18	ND	5.0	
109-79-5	n-Butyl Mercaptan	ND	18	ND	5.0	
624-92-0	Dimethyl Disulfide	ND	9.6	ND	2.5	
616-44-4	3-Methylthiophene	ND	20	ND	5.0	
110-01-0	Tetrahydrothiophene	ND	18	ND	5.0	
638-02-8	2,5-Dimethylthiophene	ND	23	ND	5.0	
872-55-9	2-Ethylthiophene	ND	23	ND	5.0	
110-81-6	Diethyl Disulfide	ND	12	ND	2.5	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

LABORATORY CONTROL SAMPLE SUMMARY

Page 1 of 1

Client: Aquaterra Environmental Solutions, Inc. CAS Project ID: P1102140
Client Sample ID: Lab Control Sample CAS Sample ID: P110608-LCS
Client Project ID: Cottonwood Hills RDF Flare Sampling / 2011 Cottonwood Hills Gas Testing

Test Code: ASTM D 5504-08 Date Collected: NA
Instrument ID: Agilent 7890A/GC22/SCD Date Received: NA
Analyst: Wade Henton/Laurn Keeler Date Analyzed: 6/08/11
Sampling Media: 1 L Zefon Bag Volume(s) Analyzed: NA ml(s)
Test Notes:

CAS #	Compound	Spike Amount ppbV	Result ppbV	% Recovery	CAS	Data Qualifier
					Acceptance Limits	
7783-06-4	Hydrogen Sulfide	2,380	1,920	81	71-129	
463-58-1	Carbonyl Sulfide	2,470	2,780	113	66-120	
74-93-1	Methyl Mercaptan	2,360	2,550	108	59-136	